



TABLE OF CONTENTS

EGO Power+ Batteries & Chargers	4	EGO Power+ Hedge Trimmer	38
EGO Power+ Riding Mower	6	EGO Power+ Auger	40
EGO Power+ Mower	12	EGO Power+ Cleaning	42
EGO Power+ String Trimmer	18	EGO Power+ Lifestyle	46
EGO Power+ Blower	22	EGO Power+ Mini Bike	52
EGO Power+ Backpack Blower	26	EGO Power+ Portable Power	54
EGO Power+ Multi-Head	28	EGO Power+ Snowblower	56
EGO Power+ Chain Saw	32	EGO Power+ Accessories	66
EGO Power+ Pole Saw	36	=60 COMMERCIAL	81

WARRANTY INFORMATION

Please find detailed warranty policy terms at egopowerplus.com/warranty-policy



#1 RATED BRAND*

EGO is the #1 rated brand in cordless outdoor power according to industry experts and purchasers based on power, performance, durability, and value.

POWER AND PERFORMANCE OF GAS

All EGO tools deliver or exceed the power and performance of gas—without the noise, fuss, or fumes—guaranteeing maximum power, longer runtimes, and industry-leading recharge times.

INDUSTRY'S MOST ADVANCED TECHNOLOGY

Our patented ARC Lithium™ technology is the most advanced in the outdoor power equipment industry with its shock-resistant design, intelligent power management, innovative ARC-shaped design, and keep-cool cell technology.

INNOVATION

No matter which EGO tool you use, you can expect groundbreaking innovation that solves for pain points, such as the world's first LINE IQ™ technology, world's first platform-compatible zero-turn riding mower, and world's first auto tensioning technology.

^{*}Best rated suite of products 2020-2024, plus more top ratings for more cordless outdoor power products than any other major brand from 2014-2024, as tested and rated by a leading non-profit rating organization.





BETTER PERFORMANCE IS BUILT IN


No matter which EGO battery you choose, you'll get:

- Shock-resistant that design protects from drops and elements
- Our patented power management system to maximize power and runtime
- Revolutionary phase-change material that keeps cells running cool
- An integrated fuel gauge that shows you how much power is left
- A 3-year limited warranty; 5-year limited warranty for BA5600T, BA6720T with registration, see egopowerplus.com/warranty-policy for details

FROM EMPTY TO FULLY CHARGED, IN AS LITTLE AS 30 MIN

With a range of battery sizes available from 2.5Ah to 12Ah, you can choose the power you need. When it's time to recharge, EGO chargers are among the fastest on the market. Their intelligent battery control system constantly monitors each cell's charge and temperature to deliver the quickest, most efficient charge. Plus, the fan-cooling system allows the battery to start charging sooner and finish faster.

As a result, the time it takes to recharge the battery is often less than the runtime you get from a full charge. So you'll always have a battery ready for all-day power and runtime.



VOLTAGE ≠ PERFORMANCE

Performance of a battery is determined by a combination of ENERGY(Wh) and POWER(W)

CAPACITY x VOLTAGE = ENERGY
(Ah) (V) (Wh)

VOLTAGE x CURRENT = POWER (W)

BATTERIES

BA1400T 2.5Ah BATTERY 140Wh

| BA2242T 4.0Ah BATTERY 224Wh





BA4200T 7.5Ah BATTERY 420Wh





















BA2800T-2 5.OAh BATTERY 2-Pack (560Wh total)



(1,344Wh total)

CHARGERS

CH2100 210W STANDARD CHARGER



CH2800D 280W x2 DUAL PORT CHARGER



CH3200 320W CHARGER



CH5500 550W RAPID CHARGER



CH7000 **700W TURBO CHARGER**



		BA1400T	BA2242T	BA2800T	BA3360T	BA4200T	BA4480T	BA5600T	BA6720T
BATT	ERY	2.5Ah	4.0Ah	5.0Ah	6.0Ah	7.5Ah	8.OAh	10.0Ah	12.0Ah
CAPA	CITY	140Wh	224Wh	280Wh	336Wh	420Wh	448Wh	560Wh	672Wh
	CH2100	50 MINUTES	80 MINUTES	100 MINUTES	120 MINUTES	145 MINUTES	160 MINUTES	190 MINUTES	230 MINUTES
MES	CH2800D	40 MINS (2 BATTERIES)	60 MINS (2 BATTERIES)	80 MINS (2 BATTERIES)	90 MINS (2 BATTERIES)	120 MINS (2 BATTERIES)	130 MINS (2 BATTERIES)	160 MINS (2 BATTERIES)	180 MINS (2 BATTERIES)
CHARGE TIMES	CH3200	35 MINUTES	55 MINUTES	70 MINUTES	80 MINUTES	100 MINUTES	105 MINUTES	130 MINUTES	160 MINUTES
E	CH5500	30 MINUTES	30 MINUTES	40 MINUTES	45 MINUTES	60 MINUTES	65 MINUTES	70 MINUTES	90 MINUTES
	CH7000	30 MINUTES	25 MINUTES	30 MINUTES	35 MINUTES	45 MINUTES	50 MINUTES	60 MINUTES	75 MINUTES
WEIG	HT	2.8 LBS	4.8 LBS	4.9 LBS	6.4 LBS	6.3 LBS	6.6 LBS	7.7 LBS	8.0 LBS
LIMIT	ED WARRANTY	3 YEARS	3 YEARS	5 YEARS	5 YEARS				

ACA1000

CHARGING ADAPTOR



BH1001

BACKPACK LINK



CHU6001

6-PORT MOBILE CHARGING CASE AND CHARGING ADAPTOR KIT



CHV1600

Z6 ZERO TURN RIDING MOWER CHARGER



SKA2800T

5.0AH BATTERY AND 210W STANDARD CHARGER KIT









ZT4205S

POWER+ 42" Z6 ZERO TURN MOWER WITH E-STEER™ TECHNOLOGY



22 HORSE-POWER 2.5 ACRES





DIGITAL DISPLAY OPTIONS 1. CRUISE CONTROL 2. MODE SELECTION 3. SPEED SELECTION 4. REVERSE



ONE BATTERY POWERS 80+TOOLS



COMBINES THE POWER OF EGO ARC LITHIUM™ BATTERIES



ZT5207L

POWER+ 52" Z6 ZERO TURN RIDING MOWER



ZT4204L

POWER+ 42" Z6 ZERO TURN RIDING MOWER



	ZT5207L	ZT4205S	ZT4204L
BATTERY / CHARGER	(6) 12.0Ah / 1600W	(4) 12.0Ah / 1600W	(4) 10.0Ah / 1600W
HORSEPOWER	25 HP	22 HP	22 HP
WATTS / WH	20,000 / 4,032	13,440 / 2,688	17,920 / 2,240
DECK WIDTH	52 INCH FABRICATED	42 INCH STAMPED	42 INCH STAMPED
CUT AREA	UP TO 4 ACRES	UP TO 2.5 ACRES	UP TO 2 ACRES
CUT HEIGHTS	10: 1.5-4.5"	10: 1.5-4.5"	10: 1.5-4.5"
STEERING	LAP BARS	E-STEER™	LAP BARS
WEATHER RESISTANCE Rating	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL 5-YEAR BATTERY	5-YEAR TOOL 5-YEAR BATTERY	5-YEAR TOOL 5-YEAR BATTERY



POWER RIDING MOWER

TR4204

POWER+ 42" T6 LAWN TRACTOR



21 HORSE-POWER 1.5 ACRES





CUSTOMIZE YOUR RIDE WITH DIGITAL DISPLAY INCLUDING:


3 BLADE SETTINGS, 3 DRIVE SPEEDS, CRUISE CONTROL





EGO ARC LITHIUM™ **BATTERIES**

BATTERY / CHARGER	(6) 6.0Ah / 700W
HORSEPOWER	21 HP
WATTS / WH	20,160 / 2,016
DECK WIDTH	42 INCH STAMPED
CUT AREA	UP TO 1.5 ACRES
CUT HEIGHTS	12: 1.5-4.5"
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL, 3-YEAR BATTERY











LM2236SP

POWER+ 1000 SERIES MOWER 22" SUPER COMPOSITE DECK WITH SELECT CUT™ AND TOUCH DRIVE™ SELF-PROPELLED, 10.0Ah BATTERY AND **700W TURBO CHARGER**



LM2156SP

POWER+ 800 SERIES MOWER 21" SELECT CUT™ XP SYSTEM WITH TOUCH DRIVE™ SELF-PROPELLED, 10.0Ah BATTERY AND 700W TURBO CHARGER



LM2135SP

POWER+ 800 SERIES MOWER 21" SELECT CUT™ SYSTEM WITH TOUCH DRIVE™ SELF-PROPELLED, 7.5Ah BATTERY AND 550W RAPID CHARGER



LM2130SP Battery and charger not included. LM2132SP-2 Includes (2) 4.0Ah batteries and 550W charger. LM2134SP-2 Includes (2) 6.0Ah batteries and 550W charger.

LM2135

POWER+ 800 SERIES PUSH MOWER 21" SELECT CUT™ SYSTEM WITH 7.5Ah BATTERY AND 550W RAPID CHARGER



Additional SKU Configurations: LM2130 Battery and charger not included.



LM2125SP

POWER+ 600 SERIES MOWER 21" SELF-PROPELLED WITH TOUCH DRIVE™, 7.5Ah BATTERY AND 550W RAPID CHARGER



LM2120SP Battery and charger not included.

LM2122SP-2 Includes (2) 4.0Ah batteries and 550W charger.

LM2123SP-2 Includes 4.0Ah and 6.0Ah battery and 550W charger.

LM2114SP

POWER+ 600 SERIES MOWER 21" SELF-PROPELLED WITH 6.0Ah BATTERY AND 320W CHARGER



Additional SKU Configurations: LM2110SP Battery and charger not included.

LM2114

POWER+ 600 SERIES PUSH MOWER 21" WITH 6.0Ah BATTERY AND 320W CHARGER



Additional SKU Configurations: LM2110 Battery and charger not included. LM2112 Includes 4.0Ah battery and 320W charger. Limited quantities of additional models available, while supplies last.

See egopowerplus.com/power-mowers for details and where to buy.

MOWER COMPARISON CHART

	LM2206SP	LM2244SP-2	LM2236SP	LM2156SP	LM2135SP	LM2135	LM2125SP	LM2114SP	LM2114
BATTERY / CHARGER	10.0Ah / 700W	(2) 6.0Ah / 550W	10.0Ah / 700W	10.0Ah / 700W	7.5Ah / 550W	7.5Ah / 550W	7.5Ah / 550W	6.0Ah / 320W	6.0Ah / 320W
MAX CUTTING TORQUE	11.1 FT-LBS	10.6 FT-LBS	10.6 FT-LBS	8.3 FT-LBS	7.0 FT-LBS	7.0 FT-LBS	6.0 FT-LBS	6.0 FT-LBS	6.0 FT-LBS
RUNTIME*	70 MINUTES	90 MINUTES	75 MINUTES	75 MINUTES	60 MINUTES	65 MINUTES	60 MINUTES	50 MINUTES	55 MINUTES
DECK WIDTH	22 INCHES	22 INCHES	22 INCHES	21 INCHES	21 INCHES	21 INCHES	21 INCHES	21 INCHES	21 INCHES
SELF-PROPELLED	YES	YES	YES	YES	YES	NO	YES	YES	NO
CUTTING SPEED CONTROL	MULTI SPEED Settings	MULTI SPEED Settings	MULTI SPEED Settings	AUTO SENSING Variable speed†					
DECK MATERIAL	CAST ALUMINUM	SUPER COMPOSITE	SUPER COMPOSITE	POLY	POLY	POLY	POLY	POLY	POLY
BLADE SPEED	UP TO 3300 RPM	UP TO 3200 RPM	UP TO 3200 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM
CUT-HEIGHT SETTINGS	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	7 SETTINGS (1.25"-4")	7 SETTINGS (1.25"-4")	7 SETTINGS (1.25"-4")
BAG SIZE	2.5 BUSHEL	2.5 BUSHEL	2.5 BUSHEL	2 BUSHEL	2 BUSHEL	2 BUSHEL	2 BUSHEL	2 BUSHEL	2 BUSHEL
MULCHING	YES; with PLUG	INTEGRATED PLUG with precision mulch control	INTEGRATED PLUG with precision mulch control	YES; with PLUG					
SELECT CUT™ COMPATIBLE	YES	YES	YES	YES	YES	YES	NO	NO	NO
VERTICAL STORAGE	YES	YES	YES	YES	YES	YES	YES	YES	YES
WEIGHT WITHOUT Battery	83.8 LBS	68.5 LBS	70.3 LBS	54.5 LBS	54.5 LBS	49.4 LBS	51.1 LBS	50.9 LBS	45.2 LBS
WEATHER Resistance rating	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL 5-YEAR BATTERY*	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 5-YEAR BATTERY^	5-YEAR TOOL 3-YEAR BATTERY				

^{*} Runtime may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

SELECT CUT™ **MULTI-BLADE SYSTEM**

The Select Cut™ Multi-Blade Cutting System is equipped with three interchangeable lower blades: the Mulching Blade, High Lift Bagging Blade, and Extended Runtime Blade. The Mulching Blade comes installed on the lawn mower and is ideal for weekly mulching, giving you the mulching quality expected from a high-end gas lawn mower. The High Lift Bagging Blade provides extra suction ideal for bagging, leaving your yard free of clippings. The Extended Runtime Blade provides an optimal balance of cut quality and runtime for all around performance. All three blades can be used interchangeably based on your desired cut. The Upper Blade is used in combination with the lower blade chosen to slice the grass into fine fragments, greatly enhancing cutting performance with all grass types.





[†] Auto Sensing Variable Speed delivers optimal cutting speed to maximize battery runtime while maintaining grass cutting performance.

^{*} With registration, lifetime warranty on the deck, see egopowerplus.com/warranty-policy for details.

^{*} With registration, see egopowerplus.com/warranty-policy for details.



ST1623T POWER+ 16" POWERLOAD™ STRING TRIMMER WITH LINE IQ™ CONTINUOUS 4.0Ah BATTERY CUTTING SWATH FIBER SHAFT & 320W CHARGER

DIGITAL SPEED SELECTOR & INDICATOR FOR

MAXIMUM CONTROL



TELESCOPIC ADJUSTABLE SHAFT FOR ULTIMATE COMFORT WORLD'S FIRST LINE IQ™ TECHNOLOGY AUTOFEED NO BUMP HIGH-PERFORMANCE TRIMMING

VARIABLE SPEED TRIGGER WITH INTEGRATED LOCK OFF

Additional SKU Configurations: ST1620T Battery and charger not included.











ST1502LB

ST1500SF Battery and charger not included.



POWERLOAD™ FEED THE LINE PUSH A BUTTON



STEP 1 Insert the line into the eyelet and push the line through until the end comes out of the opposite eyelet.



STEP 2 Pull the line from the other side until equal lengths of the line appear on both sides of the trimmer head.




STEP 3 Press and hold the line-loading button to start the line-winding motor.

STRING TRIMMER COMPARISON CHART

	ST1623T	ST1611T	ST1511T	ST1502SA
CUTTING WIDTH	16 INCHES	16 INCHES	15 INCHES	15 INCHES
RUNTIME*	UP TO 60 MINUTES	UP TO 45 MINUTES	UP TO 45 MINUTES	UP TO 30 MINUTES
KITTED BATTERY	4.0Ah	2.5Ah	2.5Ah	2.5Ah
SPEED CONTROL	2-SPEED VARIABLE	2-SPEED VARIABLE	2-SPEED VARIABLE	VARIABLE
NO LOAD SPEEDS	3,500-4,800 / 4,000-5,500 RPM	3,500-4,800 / 4,000-5,500 RPM	3,500-4,500 / 4,000-5,800 RPM	4,000-5,800 RPM
SOFT START	YES	YES	YES	YES
SHAFT MATERIAL	TELESCOPIC CARBON FIBER	TELESCOPIC CARBON FIBER	TELESCOPIC ALUMINUM	ALUMINUM
LINE DIAMETER	0.095 INCHES	0.095 INCHES	0.095 INCHES	0.095 INCHES
DUAL LINE	YES	YES	YES	YES
MOTOR TYPE	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR
WEIGHT WITHOUT BATTERY	7.5 LBS	7.5 LBS	7.7 LBS	7.3 LBS
WATER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY

^{*}Runtime may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.



LB8803-2

POWER+ 880 CFM BLOWER















SHOULDER STRAP INCLUDED



LB7654

POWER+ 765 CFM BLOWER







VARIABLE Speed

MINUTES Runtime

5.0Ah BATTERY & 320W CHARGER



Additional SKU Configurations: LB7650 Battery and charger not included. LB7654-2 Includes 2.5Ah battery and 550W charger.

LB6504

POWER+ 650 CFM BLOWER







VARIABLE Speed

MINUTES Runtime

5.0Ah BATTERY & 210W CHARGER



Additional SKU Configurations: LB6500 Battery and charger not included.

LB6703

POWER+ 670 CFM BLOWER







VARIABLE Speed

MINUTES Runtime

4.0Ah BATTERY & 320W CHARGER



Additional SKU Configurations: LB6700 Battery and charger not included.

LB6151

POWER+ 615 CFM BLOWER







MINUTES Runtime





Additional SKU Configurations: LB6150 Battery and charger not included. LB6153 Includes 4.0Ah battery and 210W charger.


LB5302 POWER+ 530 CFM BLOWER













BLOWER COMPARISON CHART

	LB8803-2	LB7654	LB6703	LB6504	LB6151	LB5302
AIR VOLUME (CFM)	UP TO 880	UP TO 765	UP TO 670	UP TO 650	UP TO 615	UP TO 530
AIR SPEED (MPH)	UP TO 200 (WITH TAPERED NOZZLE)	UP TO 200 (WITH TAPERED NOZZLE)	UP TO 180 (WITH TAPERED NOZZLE)	UP TO 180 (WITH TAPERED NOZZLE)	UP TO 170 (WITH TAPERED NOZZLE)	UP TO 130
LOW SPEED RUNTIME*	UP TO 160 MINUTES	UP TO 150 MINUTES	UP TO 160 MINUTES	UP TO 200 MINUTES	UP TO 100 MINUTES	UP TO 75 MINUTES
HIGH SPEED RUNTIME*	UP TO 24 MINUTES	UP TO 25 MINUTES	UP TO 24 MINUTES	UP TO 30 MINUTES	UP TO 15 MINUTES	UP TO 22 MINUTES
TURBO RUNTIME*	UP TO 16 MINUTES	UP TO 15 MINUTES	UP TO 12 MINUTES	UP TO 15 MINUTES	UP TO 10 MINUTES	UP TO 10 MINUTES
KITTED BATTERY	(2) 4.0Ah	5.OAh	4.0Ah	5.OAh	2.5Ah	2.5Ah
SPEED SETTING	VARIABLE / CRUISE / Turbo	VARIABLE / Cruise control	VARIABLE / Cruise control	VARIABLE / Cruise control	VARIABLE / Cruise control	VARIABLE
SOUND PRESSURE	64dB	64dB	64dB	64dB	62dB	62dB
MOTOR TYPE	BRUSHLESS MOTOR	BRUSHLESS MOTOR				
WEIGHT WITHOUT BATTERY	4.9 LBS	4.6 LBS	4.8 LBS	4.8 LBS	4.8 LBS	4.8 LBS
WEATHER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY				

^{*}Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.



LB6003

POWER+ 600 CFM BACKPACK BLOWER







7.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations: **LB6000** Battery and charger not included. LB6004 Includes 7.5Ah battery and 550W charger.

^{*}Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.



PH1420

POWER+ MULTI-HEAD POWER HEAD



PH1400 POWER+ MULTI-HEAD POWER HEAD



	PH1400	PH1420
MOTOR TYPE	BRUSHLESS MOTOR	BRUSHLESS MOTOR
ROTATING DIRECTION	COUNTER-CLOCKWISE	COUNTER-CLOCKWISE
SPEED CONTROL	2-SPEED VARIABLE	DIGITAL 2-SPEED VARIABLE
DRIVE SHAFT MATERIAL	7MM SOLID STEEL	7MM SOLID STEEL
DRIVE TUBE TYPE	ALUMINIUM	CARBON FIBER
COUPLING MECHANISM	TOOL-FREE QUICK CHANGE	TOOL-FREE QUICK CHANGE
WEIGHT	5.8 LBS	6.1 LBS
LIMITED WARRANTY	5-YEAR TOOL	5-YEAR TOOL





DA1400

POWER+ MULTI-HEAD DETHACHER

RUNTIME* with 2.5Ah	UP TO 17 MINUTES
with 5.0Ah	UP TO 35 MINUTES
with 7.5Ah	UP TO 52 MINUTES
ROTATING SPEED	3,000 RPM
DEPTH ADJUSTMENT	3 LEVELS

COMPATIBLE BLADE	SCARIFIER (2026)
TINE REPLACEMENT	TOOL-FREE
# OF TINES	14
TINE MATERIAL	STEEL
DRIVE SHAFT MATERIAL	SOLID STEEL

SHAFT MATERIAL	ALUMINUM
WEIGHT	15.9 LBS
TOTAL LENGTH	25 INCHES
LIMITED WARRANTY	5-YEAR TOOL



STA1600

POWER+ MULTI-HEAD 16" CARBON FIBER STRING TRIMMER ATTACHMENT WITH POWERLOAD™

RUNTIME* with 2.5Ah	UP TO 18 MINUTES
with 5.0Ah	UP TO 45 MINUTES
with 7.5Ah	UP TO 72 MINUTES

CUTTING SPEED	5,000-6,000 RPM	
CUTTING WIDTH	16 INCHES	
LINE LOAD METHOD	POWERLOAD™**	
LINE DIAMETER	.095 INCHES	

SHAFT MATERIAL	CARBON FIBER
WEIGHT	3.4 LBS
TOTAL LENGTH	38 INCHES
LIMITED WARRANTY	5-YEAR TOOL



EA0820

POWER+ MULTI-HEAD CARBON FIBER EDGER ATTACHMENT

RUNTIME* with 2.5Ah	NOT RECOMMENDED	
with 5.0Ah	UP TO 60 MINUTES	
with 7.5Ah	UP TO 100 MINUTES	
CUTTING SPEED	3,400-4,000 RPM	
CUTTING DEPTH	UP TO 3 INCHES	

BLADE LENGTH	8 INCHES
BLADE THICKNESS	0.12 INCHES
BLADE ARBOR HOLE SIZE	1 INCH
GUIDE WHEEL SIZE	5" x 1.5"
DEBRIS GUARD MATERIAL	ALUMINUM CASTING

SHAFT MATERIAL	CARBON FIBER
WEIGHT	5.0 LBS
TOTAL LENGTH	36 INCHES
LIMITED WARRANTY	5-YEAR TOOL



BCA1220

12" BRUSH CUTTER ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 27 MINUTES	
with 5.0Ah	UP TO 60 MINUTES	
with 7.5Ah	UP TO 95 MINUTES	
CUTTING SPEED	6.000 RPM	

CUTTING WIDTH	12 INCHES
BLADE THICKNESS	0.098 INCHES
BLADE ARBOR HOLE SIZE	1 INCH
DEBRIS GUARD MATERIAL	PLASTIC

SHAFT MATERIAL	CARBON FIBER
WEIGHT	3.88 LBS
TOTAL LENGTH	40.2 INCHES
LIMITED WARRANTY	5-YEAR TOOL



CTA9500

POWER+ MULTI-HEAD 9.5" CULTIVATOR ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 40 MINUTES	
with 5.0Ah	UP TO 80 MINUTES	
with 7.5Ah	UP TO 120 MINUTES	

CUTTING SPEED	210-240 RPM
CUTTING WIDTH	4 BLADES: 9.5 INCHES
CUTTING WIDTH	2 BLADES: 8 INCHES ADJUSTABLE

SHAFT MATERIAL	ALUMINUM
WEIGHT	8.59 LBS
TOTAL LENGTH	39 INCHES
LIMITED WARRANTY	5-YEAR TOOL



^{**} POWERLOAD" functionality only compatible with PH1420.

^{*} Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.

BBA2100

POWER+ MULTI-HEAD BRISTLE BRUSH ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 50 MINUTES	SPEED
with 5.0Ah	UP TO 100 MINUTES	CLEANI
with 7.5Ah	UP TO 150 MINUTES	SHAFT

SPEED	210-240 RPM
CLEANING WIDTH	22 INCHES
SHAFT MATERIAL	ALUMINUM

WEIGHT	11 LBS
TOTAL LENGTH	40 INCHES
LIMITED WARRANTY	5-YEAR TOOL



RBA2100

POWER+ MULTI-HEAD RUBBER BROOM ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 50 MINUTES
with 5.0Ah	UP TO 100 MINUTES
with 7.5Ah	UP TO 150 MINUTES

SPEED	210-240 RPM
CLEANING WIDTH	21 INCHES
SHAFT MATERIAL	ALUMINUM

WEIGHT	13.8 LBS
TOTAL LENGTH	40.5 INCHES
LIMITED WARRANTY	5-YEAR TOOL



PSA1020

POWER+ MULTI-HEAD CARBON FIBER POLE SAW ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 70 CUTS
with 5.0Ah	UP TO 140 CUTS
with 7.5Ah	UP TO 210 CUTS
CUTTING SPEED	15 M/S
GUIDE BAR LENGTH	10 INCHES

BLADE MATERIAL	OREGON/90PX040X
CUTTING DIAMETER	8 INCHES MAX
CHAIN PITCH	.375 INCH
CHAIN GAUGE	.043 INCHES
OIL TANK CAPACITY	7.4 OUNCES

SHAFT MATERIAL	CARBON FIBER
WEIGHT	3.9 LBS
TOTAL LENGTH	56 INCHES
LIMITED WARRANTY	5-YEAR TOOL



HTA2020

POWER+ MULTI-HEAD 20" CARBON FIBER HEDGE TRIMMER ATTACHMENT

UP TO 37 MINUTES
UP TO 82 MINUTES
UP TO 122 MINUTES
2,800-3,200 SPM

BLADE LENGTH	20 INCHES
CUTTING CAPACITY	1 INCH
CUTTING ANGLES	12 FIXED POSITIONS
BLADE MATERIAL	DOUBLE-SIDED LASER-CUT STEEL BLADE

SHAFT MATERIAL	CARBON FIBER
WEIGHT	5.1 LBS
TOTAL LENGTH	63 INCHES
LIMITED WARRANTY	5-YEAR TOOL



SSA1200

POWER+ MULTI-HEAD SNOW SHOVEL ATTACHMENT

RUNTIME* with 4.0Ah	UP TO A 4-CAR DRIVEWAY WITH 6 INCHES OF SNOW
SPEED	2-SPEED / VARIABLE
CLEARING WIDTH	12 INCHES
THROWING DISTANCE	UP TO 25 FEET
ADJUSTABLE THROWING DIRECTION	30° LEFT AND 30° RIGHT

SHAFT MATERIAL	ALUMINUM
WEIGHT	11.4 LBS
TOTAL LENGTH	31 INCHES
LIMITED WARRANTY	5-YEAR TOOL



EP7501

POWER+ MULTI-HEAD CARBON FIBER **EXTENSION POLE**

For use with Multi-Head Pole Saw Attachments: **PSA1000**, **PSA1020** only




EP7500

POWER+ MULTI-HEAD **EXTENSION POLE ATTACHMENT**



^{*} Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.



CS2005

POWER+ 20" CORDLESS CHAIN SAW











CS1804

POWER+ 18" CORDLESS CHAIN SAW







CS1611

POWER+ 16" CHAIN SAW (40CC)













Additional SKU Configurations: CS1800 Battery and charger not included. CS1803 Includes 4.0Ah battery and 210W charger. CS1804-2 Includes two 5.0Ah batteries and 550W charger.

Additional SKU Configurations: CS1610 Battery and charger not included. CS1613 Includes 4.0Ah battery and 210W charger.

CS1604

POWER+ 16" CHAIN SAW











Additional SKU Configurations: CS1600 Battery and charger not included.

CS1401

POWER+ 14" CHAIN SAW











Additional SKU Configurations: CS1400 Battery and charger not included.

CS1201

POWER+ 12" COMPACT CHAIN SAW







Additional SKU Configurations: CS1200 Battery and charger not included.

This saw is designed to work directly with only 5.0Ah battery or lower.

CHAIN SAW COMPARISON CHART

	CS2005	CS1804	CS1611	CS1604	CS1401	C\$1201
BAR & CHAIN SPECS	20 INCH 3/8" PITCH, .050" GAUGE, 69 DRIVE LINKS	18 INCH 3/8" PITCH, .050" GAUGE, 62 DRIVE LINKS	16 INCH 3/8" PITCH, .043" GAUGE, 56 DRIVE LINKS	16 INCH 3/8" PITCH, .043" GAUGE, 56 DRIVE LINKS	14 INCH 3/8" PITCH, .043" GAUGE, 52 DRIVE LINKS	12 INCH 3/8" PITCH, .043" GAUGE, 45 DRIVE LINKS
MOTOR TYPE	BRUSHLESS MOTOR					
CC POWER EQUIVALENT	50CC	45CC	40CC	35CC	30CC	30CC
RUNTIME*	UP TO 135 CUTS (6x6 LUMBER)	UP TO 300 CUTS (4x4 LUMBER)	UP TO 130 CUTS (4x4 LUMBER)	UP TO 250 CUTS (4x4 LUMBER)	UP TO 130 CUTS (4x4 LUMBER)	UP TO 130 CUTS (4x4 LUMBER)
BATTERY CAPACITY	6.0Ah	5.0Ah	2.5Ah	5.0Ah	2.5Ah	2.5Ah
CHAIN SPEED	UP TO 25 M/S	UP TO 20 M/S	UP TO 20 M/S	UP TO 13.5 M/S	UP TO 13.5 M/S	UP TO 20 M/S
OIL RESERVOIR	6.76 OUNCES	7 OUNCES	5 OUNCES	5 OUNCES	5 OUNCES	5 OUNCES
AUTOMATIC OILING	YES	YES	YES	YES	YES	YES
TOOL-FREE TENSIONING	NO	YES	YES	YES	YES	YES
CHAIN BRAKE	YES	YES	YES	YES	YES	YES
WEIGHT WITHOUT BATTERY	13.0 LBS	9.6 LBS	9.0 LBS	8.5 LBS	8.2 LBS	5.69 LBS
WEATHER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY					


^{*}Runtime may vary depending on the charge level of the battery and user's operation technique.






PS1000 Battery and charger not included.

*Runtime may vary depending on the charge level of the battery and user's





Additional SKU Configurations: HT2600 Battery and charger not included.





Additional SKU Configurations: HT2500 Battery and charger not included.

HT2411 **POWER+ BRUSHLESS HEDGE TRIMMER**



Additional SKU Configurations: HT2410 Battery and charger not included.

	HT2601	HT2501	HT2411
BLADE LENGTH	26 INCHES	25 INCHES	24 INCHES
BLADE GAP	1.2 INCHES	1.25 INCHES	1 INCH
RUNTIME* with included 2.5Ah battery	UP TO 60 MINUTES	UP TO 40 MINUTES	UP TO 75 MINUTES
SPEED CONTROL	SINGLE SPEED	2-SPEED SETTING (HIGH/LOW)	SINGLE SPEED
NO LOAD SPEEDS	3,400 SPM	2,800/3,200 SPM	3,000 SPM
BLADE TYPE	DIAMOND GROUND CUTTING BLADES	LASER CUT, DIAMOND GROUND CUTTING BLADES	HARDENED STEEL CUTTING BLADE
CUTTING ACTION	DOUBLE-SIDED CUTTING BLADE	DOUBLE-SIDED CUTTING BLADE	DOUBLE-SIDED CUTTING BLADE
WEIGHT WITHOUT BATTERY	6.92 LBS	8.4 LBS	6.16 LBS
WEATHER RESISTANCE RATING	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY

^{*}Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.



EG0803

POWER+ EARTH AUGER





TORQUE

4.0Ah BATTERY & 320W CHARGER

BATTERY / CHARGER	4.0Ah / 320W
TORQUE	UP TO 65 FT-LBS
RUNTIME with included 4.0Ah	UP TO 50+ HOLES
MOTOR	BRUSHLESS MOTOR
SHAFT SPEED	HIGH: 210 RPM LOW: 150 RPM
CUTTING DIAMETER	8 INCHES
AUGER BIT LENGTH	32 INCHES
WEIGHT WITHOUT BATTERY	33 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY



IG0804 POWER+ ICE AUGER





TORQUE


5.0Ah BATTERY & 320W Charger

BATTERY / CHARGER	5.0Ah / 320W
TORQUE	UP TO 65 FT-LBS
RUNTIME with included 5.0Ah	UP TO 2,500 INCHES
MOTOR	BRUSHLESS MOTOR
SHAFT SPEED	HIGH: 210 RPM LOW: 150 RPM
CUTTING DIAMETER	8 INCHES
AUGER BIT LENGTH	39 INCHES
WEIGHT WITHOUT BATTERY	30 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

CUTS UP TO 2,500 INCHES OF ICE ON A SINGLE CHARGE WITH THE INCLUDED 56V 5.0AH ARC LITHIUM™ BATTERY HIGH-EFFICIENCY Brushless motor Delivers 65 FT-LBS of UNIVERSAL 7/8" BIT CONNECTION COMPATIBLE WITH ICE AND EARTH BITS TORQUE TO DRILL THROUGH THE THICKEST ICE FOR ADDED VERSATILITY ANTI-KICKBACK Protection safeguards ERGONOMIC HANDLE DESIGN MAKES
THE AUGER EASY
TO MANEUVER AND FROM UNEXPECTED JAMS **IMPROVES SAFETY** 8" ICE AUGER DRILL BIT INCLUDED

HIGH AND LOW SPEEDS PLUS REVERSE FUNCTION ALLOW EFFICIENT DIGGING

Additional SKU Configurations: **IGO800** Battery and Charger not included.



HPW2105

POWER+ 2100PSI PRESSURE WASHER





BATTERY / CHARGER	6.0Ah / 320W
PSI	2100 MAX
GPM	1.2 MAX
RUNTIME with included 6.0Ah	UP TO 30 MINUTES
MOTOR	BRUSHLESS MOTOR
INCLUDED NOZZLES	TURBO 15° 40°
WEIGHT WITHOUT BATTERY	15 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

Includes flexible high-pressure hose, siphon hose, pressure washer gun, stainless steel wand, foam cannon, filter



GARDEN HOSE AND FRESH WATER ACCESS

QUICK-CONNECT INTEGRATION

Additional SKU Configurations: **HPW2100** Battery and Charger not included.



HPW3204-2

POWER+ 3200PSI PRESSURE WASHER





BATTERY / CHARGER (2) 6.0Ah / 320W PSI 3200 MAX GPM 1.2/2.0 MAX RUNTIME with two included 6.0Ah UP TO 60 MINUTES MOTOR **BRUSHLESS MOTOR** INCLUDED NOZZLES TURBO 15° 25° 40° RINSE WEIGHT WITHOUT BATTERY 36.2 LBS WEATHER RESISTANCE RATING IPX4 LIMITED WARRANTY 5-YEAR TOOL 3-YEAR BATTERY Includes flexible high-pressure hose, siphon hose,

quick-connect short pressure washer gun, quick-connect wand lance, stainless steel wand, foam cannon, and filter.



Additional SKU Configurations: HPW3200 Battery and Charger not included.

BRUSHLESS MOTOR DELIVERS 110 CFM OF POWERFUL SUCTION FOR 100-INCH WATER LIFT

WDV0904

POWER+ 9 GALLON WET/DRY VACUUM







BATTERY / CHARGER	5.0Ah / 320W
CFM	110 MAX
RUNTIME with included 5.0Ah	UP TO 60 MINUTES
SUCTION POWER (WATER LIFT)	100 INCH MAX
MOTOR	BRUSHLESS MOTOR
TANK SIZE	9 GALLON
INCLUDED ACCESSORIES	DUST BAG EXTENSION TUBE (2X) CREVICE NOZZLE ROUND BRUSH DUST NOZZLE LARGE FLOOR NOZZLE RUBBER BAR COMPACT FLOOR NOZZLE VACUM HOSE REMOTE CONTROL CHARGING CABLE FOR REMOTE POWER TOOL ADAPTER
WEIGHT WITHOUT BATTERY	26.7 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL





FILTER CLEANING FUNCTION KEEPS WET/DRY VACUUM FILTER CLEAN FOR MAXIMUM SUCTION AND EFFICIENCY

3-YEAR BATTERY

WIRELESS REMOTE

- LED LIGHT
- ENABLES TURBO MODE
- START/STOP
- CHARGED VIA USB-C

Additional SKU Configurations: WDV0900 Battery and Charger not included.







BSP3500

POWER+ BACKPACK SPRAYER





SK1800

POWER+ 180W OUTDOOR BLUETOOTH SPEAKER







PREMIUM SOUND PERFORMANCE

HOURS Runtime

100W USB-C PD IN/OUT




180W OUTPUT 7 SPEAKERS

USER INTERFACE – POWER VOLUME BLE PAIRING SPEAKER PAIRING BASS BOOST

BATTERY / CHARGER	TOOL ONLY
SPEAKER OUTPUT	180W
RUNTIME with 5.0Ah battery	UP TO 50 HOURS
BLE VERSION	5.3
CONNECT RANGE	180 FEET
SPEAKER PAIRING	UP TO 100 DEVICES
BLE QUALITY	TWS (TRUE WIRELESS STEREO)
SPEAKERS	1x WOOFERS 2x MID RANGE 2x TWEETERS 2x PASSIVE RADIATORS
PORTS	100W PD TYPE-C IN/OUT, USB-A, AUX
WEIGHT WITHOUT BATTERY	17 LBS
IP RATING	IP54
LIMITED WARRANTY	5-YEAR TOOL





LT0300

POWER+ COMPACT AREA LIGHT











BATTERY / CHARGER	TOOL ONLY
LUMENS	500 - 3,000
COLOR TEMPERATURE (KELVIN)	2700K - 5500K
RUNTIME on low with 5.0Ah battery	60 HOURS
BRIGHTNESS	5 SETTINGS
WEIGHT WITHOUT BATTERY	4 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL









COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

Additional SKU Configurations: MB1000 Battery and Charger not included.

TOP SPEED	28 MPH
MOTOR POWER	1000W RATED
RANGE*	UP TO 20 MILES
WEIGHT WITHOUT BATTERY	140 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	1 YEAR

^{*}Range may vary and depend on the battery used, charge level of battery, and user's operation technique.



PAD1800

POWER+ NEXUS ESCAPE 180W INVERTER

Pure sine wave delivers high-quality, clean power to sensitive electronics



PAD5000

POWER+ NEXUS ESCAPE 400W INVERTER

Power up to four total devices simultaneously or charge your 56V EGO Battery



Additional SKU Configurations: PAD5003 Includes 4.0Ah battery and 100W USB-C PD charger.

	DAD1000	DADEGGG		
	PAD1800	PAD5000		
POWER OUTPUT	180W CONTINUOUS 300W PEAK	400W CONTINUOUS 800W PEAK		
WAVE	PURE SINE	PURE SINE		
OUTLETS	120V AC	120V AC		
PORTS	USB-C PD ONT (100W) USB-A (12W)	USB-C PD IN/OUT (100W) USB-C (18W) USB-A (18W)		
BUILT IN LIGHT	YES	YES		
WARRANTY	5-YEAR TOOL	5-YEAR TOOL		

PST3042

POWER+ NEXUS PORTABLE **POWER STATION**

World's first battery power source to match gas generators

BATTERY	(2) 7.5Ah
POWER OUTPUT	2000W CONTINUOUS 3000W PEAK
OUTLETS	(3) 120V AC
PORTS	(4) USB-A
DISPLAY	BRIGHT LED DISPLAY Shows runtime
CONSTRUCTION	ROBUST STEEL HANDLES
BATTERY CHARGER	4 PORTS (WHEN PLUGGED IN)
USAGE	INDOOR AND OUTDOOR
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

Additional SKU Configurations: **PST3040** Power Station only PST3041 Includes (4) 5.0Ah batteries




CH1800

POWER+ NEXUS SOLAR PANEL CHARGER

The EGO Solar Panel Charger is the only charger approved for use with the EGO Nexus Power Station.





SP1000

POWER+ 100W SOLAR PANEL

Turn solar energy into clean, renewable power with the EGO POWER+ 100W Solar Panel.



SP2000

POWER+ 200W SOLAR PANEL

Turn solar energy into clean, renewable power with the EGO POWER+ 200W Solar Panel





EGO POWER⁺ SNOWBLOWER | 57











2-IN-1 CHUTE ADJUSTMENT LEVER

with included (2) 10.0Ah ARC Lithium™ batteries

Additional SKU Configurations: SNT2410 Battery and Charger not included.









SNT2134

POWER+ 21" SINGLE-STAGE SNOW BLOWER WITH PEAK POWER™





EGO'S **MOST POWERFUL**







Additional SKU Configurations: SNT2130 Battery and Charger not included.

SNT2125AP

POWER+ AUGER-PROPELLED SNOW BLOWER







DISTANCE



(2) 7.5Ah BATTERIES & DUAL PORT CHARGER







CLEARS UP TO A 16-CAR DRIVEWAY WITH 8" OF SNOW with included (2) 7.5Ah ARC Lithium™ batteries







Additional SKU Configurations: SNT2110 Battery and charger not included. SNT2114 Includes (2) 7.5Ah batteries and DUAL PORT charger.



COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES



CLEARS UP TO A 12-CAR DRIVEWAY WITH 8" OF SNOW with included (2) 5.0Ah ARC Lithium™ batteries

SNT2102

POWER+ SNOW BLOWER WITH PEAK POWER™







(2) 5.0Ah BATTERIES & 550W CHARGER

Additional SKU Configurations: SNT2100 Battery and charger not included. SNT2101 Includes (2) 4.0Ah batteries and 320W charger.



SNS1201







Additional SKU Configurations: SNS1200 Battery and charger not included.



CLEARS UP TO A 3-CAR DRIVEWAY WITH 6" OF SNOW with included 2.5Ah ARC Lithium™ battery



MSS1203

POWER+ MULTI-HEAD SNOW SHOVEL









with included 4.0Ah ARC Lithium™ battery

12" CLEARING SURFACE

25° DIRECTIONAL Throwing distance

SNOW BLOWER COMPARISON CHART

	01170007	01170140	0110105	01170404	0117040518	0110440	01170400	011001	11001000
	SNT2807	SNT2416	SNT2405	SNT2134	SNT2125AP	SNT2112	SNT2102	SNS1201	MSS1203
BATTERY / Charger	(2) 12.0Ah / Dual Port	(2) 10.0Ah / Dual Port	(2) 7.5Ah / Dual Port	(2) 6.0Ah / Dual Port	(2) 7.5Ah / Dual Port	(2) 5.0Ah / Dual Port	(2) 5.0Ah / 550W	2.5Ah / 210W	4.0Ah / 320W
STAGE		DUAL			SINGLE			SHOVEL	
CLEARING CAPACITY*	UP TO A 32 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 24 CAR DRIVEWAY 8 INCHES SNOW	UP TO AN 18 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 14 CAR DRIVEWAY 8 INCHES	UP TO A 16 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 12 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 10 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 3 CAR DRIVEWAY 6 INCHES SNOW	UP TO A 4 CAR DRIVEWAY 6 INCHES SNOW
CLEARING WIDTH	28 INCHES	24 11	ICHES		21 IN	ICHES		12 INCHES	
INTAKE HEIGHT	21 INCHES	20 11	NCHES		13 IN	ICHES		6 INCHES	
THROWING DISTANCE	UP TO 60 FEET	UP TO 50 FEET	UP TO 50 FEET	UP TO 45 FEET	UP TO 45 FEET	UP TO 40 FEET	UP TO 35 FEET	UP TO 25 FEET	UP TO 25 FEET
PROPULSION	SELF-PROPEL	SELF-PROPEL	SELF-PROPEL	PUSH	AUGER PROPEL	PUSH	PUSH	PUSH	PUSH
AUGER MATERIAL	STEEL	STEEL	STEEL	STEEL	HEAVY DUTY Rubber tipped Metal frame	STEEL	RUBBER TIPPED, METAL FRAME	IMPACT RESISTANT PLASTIC	IMPACT Resistant Plastic
CHUTE DIRECTION (D) PITCH CONTROLS (P)	ELECTRONIC 2-IN-1 JOYSTICK (D and P)	2-IN-1 JOYSTICK (D and P)	DUAL REMOTE LEVERS (D and P)	DUAL REMOTE LEVERS	REMOTE DIRECTION ONLY	REMOTE DIRECTION ONLY	REMOTE DIRECTION ONLY	MANUAL DIAL	MANUAL DIAL
CHUTE RADIUS	200°	200°	200°	180°	180°	180°	180°	60°	60°
HEATED HANDLES	YES	YES	NO	YES	YES	NO	NO	NO	NO
WHEEL SIZE	16" x 5"	15" x 3.5"	15" x 3.5"	9"	7.13"	7.13"	7.13"	7.13"	7.13"
LED HEADLIGHTS	YES	YES	YES	YES	YES	YES	YES	NO	NO
COMPACT STORAGE	NO	NO	NO	YES	YES	YES	YES	YES	YES
HEIGHT ADJUST HANDLE	YES	YES	YES	YES	NO	NO	NO	NO	NO
BARE TOOL WEIGHT	181 LBS	147 LBS	150 LBS	66 LBS	50.6 LBS	50.6 LBS	50.7 LBS	14 LBS	28 LBS
WEATHER RATING	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL 5-YEAR BATTERY*	5-YEAR TOOL 5-YEAR BATTERY*	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY

^{*} Clearing capacity based on batteries included with kit and may vary based on charge level of battery, condition of snow, and user's operation technique.

* With registration, 5-year limited tool warranty, 5-year limited battery warranty, see egopowerplus.com/warranty-policy for details.



ACCESSORIES

RIDING MOWER ACCESSORIES

AB4200D

42" Riding Mower Replacement Blade Set



AMB1000

Z6 Zero Turn Riding Mower Rear Bumper



AB4201D

42" Riding Mower High-Lift Bagging Blade Set



AMG1000

Z6 Zero Turn Riding Mower **Onboard Storage Bin**



AB5200D

52" Z6 Zero Turn Riding Mower Replacement Blade Set



AMP4200

42" Riding Mower Mulch Plug



AB5201D

52" Z6 ZTR Mower High-Lift Bagging Blade Set



AMS1000

Z6 Zero Turn Riding Mower Sun Shade



ABK4200

Z6 Zero Turn Riding Mower Bagger Kit



UNIVERSAL RIDING MOWER ACCESSORIES

ADT1000

Riding Mower Tow Behind **Utility Cart**



ABK4200T

42" T6 Lawn Tractor Bagging Kit



ABK5200

Z6 52" Zero Turn Riding Mower Bagger Kit



CRM001

42" Zero Turn Riding Mower Cover



ABP5200

52" Z6 Zero Turn Riding Mower Mulch Plug



RIDING MOWER ACCESSORIES COMPATIBILITY MATRIX

	E-STEER	LAP BAR		TRACTOR	
	ZT4205S	ZT5207L	ZT4204L	TR4204	
AB4200D 42" Riding Mower Replacement Blade Set	•		•	•	
AB4201D 42" Riding Mower High-Lift Bagging Blade Set	•		•	•	
AB5200D 52" Z6 Zero Turn Riding Mower Replacement Blade Set		•			
AB5201D 52" Z6 ZTR Mower High-Lift Bagging Blade Set		•			
ABK4200 Z6 Zero Turn Riding Mower Bagger Kit	•		•		
ABK4200T 42" T6 Lawn Tractor Bagging Kit				•	
ABK5200 26 52" Zero Turn Riding Mower Bagger Kit		•			
ABP5200 52" Z6 Zero Turn Riding Mower Mulch Plug		•			
AMB1000 Z6 Zero Turn Riding Mower Rear Bumper	•	•	•		
AMG1000 Z6 Zero Turn Riding Mower Onboard Storage Bin	•	•	•	•	
AMP4200 42" Riding Mower Mulch Plug	•		•	•	
AMS1000 Z6 Zero Turn Riding Mower Sun Shade	•	•	•	•	
ADT1000 Riding Mower Tow Behind Utility Cart	•	•	•	•	
CRM001 42" Zero Turn Riding Mower Cover	•	•	•	•	



ACCESSORIES

MOWER ACCESSORIES

AB2000

20" Mower Blade



AB2103

21" Mower High-Lift Blade



AB2001

20" High-Lift Mower Blade



AB2200D

High-Performance Blade Set



AB2100

21" Mower Blade



AB2201D

High-Lift Bagging Blade Set



AB2100D

Extended Run Time Blade Set



AB2211D

22" Super Composite Mower High-Performance Blade Set



AB2101

21" High-Lift Mower Blade



AB2212D

22" Super Composite Mower High-Lift Bagging Blade Set



AB2101D

Mulching Blade Set



CM001

Mower Cover



AB2102

21" Mower Blade



AB2102D

High-Lift Bagging Blade Set



MOWER ACCESSORIES COMPATIBILITY MATRIX

	1100 Series	1000 Series		800 Series			600 Series		
	LM2206SP LM2200SP	LM2244SP-2 LM2240SP	LM2236SP	LM2156SP LM2150SP LM2156SP-2	LM2135SP LM2130SP LM2132SP-2 LM2134SP-2	LM2135 LM2130	LM2125SP LM2120SP LM2122SP-2 LM2123SP-2	LM2114SP LM2110SP	LM2114 LM2110 LM2112
AB21000 Extended Run Time Blade Set				•	•	•			
AB2101 21" High-Lift Mower Blade									
AB2101D Mulching Blade Set				•	•	•			
AB2102 21" Mower Blade							•	•	•
AB21020 High-Lift Bagging Blade Set				•	•	•			
AB2103 21" Mower High-Lift Blade							•	•	•
AB2200D High-Performance Blade Set	•								
AB22010 High-Lift Bagging Blade Set	•								
AB2211D 22" Super Composite Mower High-Performance Blade Set		•	•						
AB22120 22" Super Composite Mower High-Lift Bagging Blade Set		•	•						
CM001 Mower Cover				•	•	•	•	•	•



ACCESSORIES

STRING TRIMMER ACCESSORIES

AH1300

15" Bump String Trimmer Replacement Head



AH1520

15" POWERLOAD™ String Trimmer Replacement Head



AH1522

15" POWERLOAD™ String Trimmer Replacement Head



AH1530

15" Rapid Reload+ String Trimmer Replacement Head



AH1531

15" Rapid Reload+ String Trimmer Replacement Head



AH1620

16" LINE IQ™ String Trimmer Replacement Head



AS1300

15" String Trimmer Replacement Spool



UNIVERSAL TRIMMER ACCESSORIES

AL2420P

Pre-Cut **Twisted Trimmer Line** 0.095" x 14' / 5 pre-cut coils



AL2420PB

Premium Pre-Cut **Twisted Trimmer Line** 0.095" x 14' / 5 pre-cut coils



AL2420PD

Dual Color Pre-Cut Twisted Trimmer Line 0.095" x 14' / 5 pre-cut coils



AL2438

High-Performance Twisted Trimmer Line 0.095" x 125'



AL2450S

Twisted Trimmer Line 0.095" x 164'



AL2470B

Premium Twisted Trimmer Line 0.095" x 230'



STRING TRIMMER ACCESSORIES COMPATIBILITY MATRIX

	LINE	LINE IQ™ POWERLOAD™			RAPID	RELOAD	DISCONTINUED			
	ST1623T ST1620T	MST1700 MST1704	STA1600 MST1603	ST1611T ST1610T	ST1511T ST1510T ST6151LB	ST1523S ST1521S ST1520S	ST1502SA ST1500SF ST1502LB ST1503LB	STA1500	ST1500	ST1530
AH1300 15" Bump String Trimmer Replacement Head							•		•	
AH1520 15" POWERLOAD™ String Trimmer Replacement Head				•		•				
AH1522 15" POWERLOAD™ String Trimmer Replacement Head					•					
AH1530 15" Rapid Reload+ String Trimmer Replacement Head							•			
AH1531 15" Rapid Reload+ String Trimmer Replacement Head								•		•
AH1620 16" LINE IQ™ String Trimmer Replacement Head	•									
AS1300 15" String Trimmer Replacement Spool									•	
AL2420P Pre-Cut Twisted Trimmer Line 0.095" x 14' / 5 pre-cut coils	•	•	•	•	•	•	•	•	•	•
AL2420PB Premium Pre-Cut Twisted Trimmer Line 0.095" x 14' / 5 pre-cut coils	•	•	•	•	•	•	•	•	•	•
AL2420PD Dual Color Pre-Cut Twisted Trimmer Line 0.095" x 14' / 5 pre-cut coils	•	•	•	•	•	•	•	•	•	•
AL2438 High-Performance Twisted Trimmer Line 0.095" x 125'	•	•	•	•	•	•	•	•	•	•
AL2450S Twisted Trimmer Line 0.095" x 164'	•	•	•	•	•	•	•	•	•	•
AL2470B Premium Twisted Trimmer Line 0.095" x 230'	•	•	•	•	•	•	•	•	•	•



ACCESSORIES

BLOWER ACCESSORIES

AGC1000

Gutter Attachment



ANGOOOR

Tapered Blower Nozzle



AN5300

Blower Nozzle



AST2000

Short Tube Attachment



AN5801

Blower Spread Nozzle



UNIVERSAL BLOWER ACCESSORIES

ANGOOOF

Flat Blower Nozzle



AP1500

Shoulder Strap



BLOWER ACCESSORIES COMPATIBILITY MATRIX

	530 CFM	600 CFM	615 CFM	650 CFM	670 CFM	765 CFM	880 CFM
	LB5300 LB5302 ST1502LB ST1503LB	LB6000 LB6003	LB6150 LB6151 LB6153 ST6151LB	LB6500 LB6504	LB6700 LB6703	LB7650 LB7654 LB7654-2 LB7654-P	LB8800 LB8803-2
AGC1000 Gutter Attachment	•		•	•	•	•	•
AN5300 Blower Nozzle	•						
AN5801 Blower Spread Nozzle			•	•	•		
ANGOOOF Flat Blower Nozzle			•	•	•		
ANGOOOR Tapered Blower Nozzle			•	•	•		
AST2000 Short Tube Attachment	•		•	•	•	•	•
AP1500 Shoulder Strap	•	•	•	•	•	•	•



ACCESSORIES

CHAIN/POLE SAW ACCESSORIES

AC1000

Multi-Head System Pole Saw Chain



AG1600

16" Chain Saw Guide Bar



AC1000Q

10" Pole Saw Chain



AG1800

18" Chain Saw Guide Bar



AC1204

12" Compact Chain Saw Chain



AK1204

12" Compact Chain Saw Bar & Chain Kit



AC1400

14" Chain Saw Chain



AK1800

18" Chain Saw Bar & Chain Kit



AC1600

16" Chain Saw Chain



AK2005

20" Chain Saw Bar & Chain Kit



AC1800

18" Chain Saw Chain



BCS1000

Chain Saw Bag



AC2005

20" Chain Saw Chain



128 FL OZ Premium Bar & Chain Lubricant

UNIVERSAL CHAIN/POLE SAW ACCESSORIES



AG1000

Multi-Head System 10" Pole Saw Bar



AOL3200

AOL1000

32 FL OZ Premium Bar & Chain Lubricant



AG1000Q

10" Pole Saw Bar



AG1400

14" Chain Saw Guide Bar



CHAIN/POLE SAW ACCESSORIES COMPATIBILITY MATRIX

	10	"	12"	14"	10		18"	20"
	PS1000 PS1001	PSA1000 MPS1001	CS1200 CS1201	CS1400 CS1401 CS1403	CS1600 CS1604	CS1610 CS1611 CS1613	CS1800 CS1803 CS1804 CS1804-2	CS2000 CS2005
AC1000 Multi-Head System Pole Saw Chain		•						
AC1000Q 10" Pole Saw Chain	•							
AC1204 12" Compact Chain Saw Chain			•					
AC1400 14" Chain Saw Chain				•				
AC1600 16" Chain Saw Chain					•	•		
AC1800 18" Chain Saw Chain							•	
AC2005 20" Chain Saw Chain								•
AG1000 Multi-Head System 10" Pole Saw Bar		•						
AG1000Q 10" Pole Saw Bar	•							
AG1400 14" Chain Saw Guide Bar				•				
AG1600 16" Chain Saw Guide Bar					•	•		
AG1800 18" Chain Saw Guide Bar							•	
AK1204 12" Compact Chain Saw Bar & Chain			•					
AK1800 18" Chain Saw Bar & Chain							•	
AK2005 20" Replacement Bar & Chain								•
BCS1000 Chain Saw Bag			•	•	•	•	•	
AOL1000 128 FL OZ Premium Bar & Chain Lubricant	•	•	•	•	•	•	•	•
A013200 32 FL OZ Premium Bar & Chain Lubricant	•	•	•	•	•	•	•	•



ACCESSORIES

SNOW BLOWER ACCESSORIES

ACT2400

Chute Cleaning Tool



ADC2400

Drift Cutters



AKS2130D

Single-Stage Snow Blower Skid Shoes (Pair)



AKS2400D

Snow Blower Skid Shoes



AKS2800D

2-Stage Snow Blower Skid Shoes (Pair)



ARP2100

Snow Blower Paddle



ARP2101

Snow Blower Paddle



ARP2120

Auger-Propelled Snow Blower Rubber Paddle Set



ASP2400

Snow Blower Shear Pins (1-Pack)



ASP2400D

Snow Blower Shear Pins (2-Pack)



ASS1200

12" Snow Shovel Scraper Bar



ASS2100

Snow Blower Scraper Bar



ASS2120

Auger-Propelled Snow Blower Scraper Bar



ASS2130

21" Single-Stage Snow Blower Scraper Bar



ASS2400

2-Stage Snow Blower Scraper Bar



ASS2800

28" 2-Stage Snow Blower Scraper Bar



AVB1200

12" Snow Shovel Belt



AVB2120

Auger-Propelled Snow Blower Belt



AVB2306

Snow Blower Belt



CB002

Snow Blower Cover



CB003

2-Stage Snow Blower Cover



CB004

2-Stage Snow Blower Cover



SNOW ACCESSORIES COMPATIBILITY MATRIX

	12)II -		2	1"		24		28"
	MSS1203	SNS1200 SNS1201	SNT2100 SNT2101 SNT2101	SNT2110 SNT2112 SNT2114	SNT2120AP SNT2125AP	SNT2130 SNT2134	SNT2400 SNT2405 SNT2406-4	SNT2410 SNT2416	SNT2800 SNT2807
ACT2400 Chute Cleaning Tool							•	•	
ADC2400 Drift Cutters							•	•	•
AKS2130D Single-Stage Snow Blower Skid Shoes (Pair)						•			
AKS2400D Snow Blower Skid Shoes							•	•	
AKS2800D 2-Stage Snow Blower Skid Shoes (Pair)							•	•	
ARP2100 Snow Blower Paddle			•						
ARP2101 Snow Blower Paddle				•					
ARP2120 Auger-Propelled Snow Blower Rubber Paddle Set					•				
ASP2400 Snow Blower Shear Pins (1-Pack)							•	•	
ASP2400D Snow Blower Shear Pins (2-Pack)							•	•	
ASS1200 12" Snow Shovel Scraper Bar	•	•							
ASS2100 Snow Blower Scraper Bar			•	•					
ASS2120 Auger-Propelled Snow Blower Scraper Bar					•				
ASS2130 21" Single-Stage Snow Blower Scraper Bar						•			
ASS2400 2-Stage Snow Blower Scraper Bar							•	•	
ASS2800 28" 2-Stage Snow Blower Scraper Bar									•
AVB1200 12" Snow Shovel Belt		•							
AVB2120 Auger-Propelled Snow Blower Belt					•				
AVB2306 Snow Blower Belt			•	•					
CB002 Snow Blower Cover			•	•	•	•			
CBOO3 2-Stage Snow Blower Cover							•	•	
CBOO4 2-Stage Snow Blower Cover							•	•	•



ACCESSORIES

MULTI-HEAD ACCESSORIES

BMH1000

Multi-Head System Carrying Bag



AUGER ACCESSORIES

AB08001

8" Ice Auger Bit Blade



ABE2000

20" Auger Bit Extension



AET0400

4" Earth Auger Bit



AET0600

6" Earth Auger Bit



AET0800

8" Earth Auger Bit



AET1000

10" Earth Auger Bit



AIT0800

8" Ice Auger Bit



CLEANING ACCESSORIES

AFC3200

Premium Brass Foam Cannon



ANK2100

2100 PSI Pressure Washer Nozzle



ANK3200

3200 PSI Pressure Washer Nozzle



ANZ3200

O° Nozzle for Pressure Washer



AVF0900

Replacement Filter for Wet/Dry Vacuum



AVG0905

Dust Bags (5-Pack) for Wet/Dry Vacuum



AVH0907

1-7/8" x 7' Replacement Vacuum Hose



LIFESTYLE ACCESSORIES

CFN001

18" Misting Fan Cover



SAFETY ACCESSORIES

GS001

Safety Glasses with Clear Lenses



GS002

Safety Glasses with Gray Lenses



GS003

Safety Glasses with Yellow Lenses



GV001M

Work Gloves (Medium)



GV001L

Work Gloves (Large)



GVOO1XL

Work Gloves (X-Large)



GVOO1XXL

Work Gloves (XX-Large)









2025 PRODUCT CATALOG








TABLE OF CONTENTS

EGO Commercial PGX™ Charging	84
EGO Commercial Mowers	94
EGO Commercial Blower	96
EGO Commercial String Trimmer	100
EGO Commercial Bike Handle Brush Cutter	102
EGO Commercial Edger	104
EGO Commercial Pole Hedge Trimmer	106
EGO Commercial Telescopic Pole Saw	110
EGO Commercial Chain Saw	112
EGO Commercial Multi-Head	114
EGO Commercial Battery Technology	116
EGO Commercial Accessories	118
EGO Commercial Power Manager	120












PGX™ COMMERCIAL CHARGING SYSTEM



PGX™ **1600W HUB**

Mounts in a building, van, or trailer, and runs off any standard 15A circuit



PGX™ **3-PORT DOCK**

Simultaneously charges up to three EGO 56V ARC Lithium™ batteries








PGX™ **POWER BANK**

Charges 30+ Ah of portable batteries during the day





IT STARTS WITH THE POWER HUB

- ONLY ONE POWER HUB NEEDED
- CONNECTS TO PGX™ COMMERCIAL CHARGING 3-PORT DOCKS
- MOUNTS IN A BUILDING, VAN, OR TRAILER
- RUNS OFF OF A SINGLE 15A CIRCUIT



PGX1600H

PGX™ COMMERCIAL CHARGING 1600W HUB







CHARGE UP TO 70 BATTERIES (15kWh) OVERNIGHT

- 3-PORT DOCK CHARGES 3 BATTERIES SIMULTANEOUSLY
- CONNECT UP TO 24 DOCKS TO ONE PGX™ HUB
- DOCKS CHARGE IN SERIES



PGX3000D

PGX™ COMMERCIAL CHARGING 3-PORT DOCK



CHARGE 3 BATTERIES SIMULTANEOUSLY

STEEL-REINFORCED THROUGH-HOLE SCREW MOUNTING



7x MOUNTING HOLE LOCATIONS

POWER REQUIREMENT	PGX™ HUB (15A CIRCUIT)
EXPANDABLE	Yes
DIMENSIONS	23.5" x 6.75" x 11.5"





CHARGE DURING THE DAY

- CHARGES 30+ Ah OF EGO POWER+ PORTABLE BATTERIES DURING THE DAY
- WORKS SEAMLESSLY WITH THE POWER HUB
- LARGE FORMAT BATTERIES CAN BE SWAPPED FOR MORE CAPACITY





PGX3100K

PGX™ COMMERCIAL POWER BANK KIT

KIT INCLUDES: POWER BANK 2.2kWh (40Ah) HIGH-CAPACITY BATTERY (2) 7.5Ah BATTERIES PGX™ CABLE

POWER STATUS LED & BATTERY CHARGE STATUS LED



CHARGE TWO BATTERIES SIMULTANEOUSLY





STACK UP TO 2 UNITS

ROBUST ROLL CAGE **DESIGNED FOR** MAXIMUM DURABILITY

EXPANDABLE

CONNECT MORE
PGX™ SYSTEM UNITS
TOGETHER TO CHARGE MORE BATTERIES

INTEGRATED FOLDING HANDLE



FUEL

HC2240T	
VOLTAGE	56V
ENERGY	2.2kWh (40Ah)
AC RECHARGE REQUIREMENT	PGX™ HUB (15A CIRCUIT)
CHARGE TIME	120 MINUTES (40Ah HIGH CAPACITY)
CONNECTIVITY	BLUETOOTH
WEIGHT	39 LBS
DIMENSIONS	13.3" x 6.8" x 12.7"
WEATHER RESISTANCE RATING	IPX4

PGX3100K	
AC RECHARGE REQUIREMENT	PGX™ HUB (15A CIRCUIT)
CHARGE TIME (AC)	120 MINUTES (40Ah HIGH CAPACITY)
CHARGE TIME (DC)	75 MINUTES with two 12.0Ah 60 MINUTES with two 10.0Ah 50 MINUTES with two 8.0Ah 45 MINUTES with two 7.5Ah 35 MINUTES with two 6.0Ah 30 MINUTES with two 5.0Ah 25 MINUTES with two 4.0Ah 30 MINUTES with two 4.0Ah 30 MINUTES with two 4.0Ah
DC CHARGING SPEED	2x 700W
EXPANDABLE	YES
CONNECTIVITY	BLUETOOTH
WEIGHT	38 LBS
DIMENSIONS	20.25" x 16.5" x 16"
WEATHER RESISTANCE RATING	IPX4



INDUSTRY'S MOST POWERFUL CORDLESS WALK-BEHIND MOWER





Compared to 22" and below deck size commercial walk behinds

LMX5300SP

COMMERCIAL 22" ALUMINUM DECK SELF-PROPELLED LAWN MOWER



GAS EQUIVALENT	230CC RATING
TORQUE	14.8 FT-LBS
MAX POWER	4000W
RATED POWER	1600W
RUNTIME with two 12.0Ah batteries	UP TO 120 MINUTES
RECHARGE TIME with two 12.0Ah batteries using PGX™ Power Bank	75 MINUTES
BATTERY WATTS	8960
SELF-PROPELLED	YES

CUTTING SYSTEM	COMMERCIAL SINGLE BLADE
CUTTING HEIGHTS	8
DECK SIZE	22"
MAX BLADE TIP SPEED	18,000 FPM
DECK MATERIAL	ALUMINUM
BATTERY TECHNOLOGY	56V ARC LITHIUM™
WEIGHT bare tool	99.2 LBS
WEATHER RESISTANCE RATING	IPX5



LBPX1100





OPTIMIZED AIRFLOW

FOR EXTENDED RUNTIME

EFFICIENCY

DUAL GRAB HANDLES

> COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

GAS EQUIVALENT	65CC RATING
CLEARING CAPACITY	1100 CFM
AIR SPEED with nozzle	190 MPH
PUSH FORCE	36N
MAX POWER	2700W
RUNTIME with two 12.0Ah batteries	UP TO: 240 MINS ON LOW 36 MINS ON HIGH 30 MINS ON TURBO
DECIBEL RATING measured at 50 feet per ANSI standards	65db(A)
BATTERY TECHNOLOGY	56V ARC LITHIUM™ with PEAK POWER™
HOUSING	UV-RESISTANT COMPOSITE
WEIGHT bare tool	21.2 LBS
WEATHER RESISTANCE RATING	IPX5



LBPX8010



3-POINT SUPPORT BASE FOR STABILITY

DUAL GRAB HANDLES

OPTIMIZED AIRFLOW EFFICIENCY FOR EXTENDED RUNTIME



COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™

DECIBEL RATING measured at 50 feet per ANSI standards

with two 12.0Ah batteries

GAS EQUIVALENT

AIR SPEED

PUSH FORCE

MAX POWER

RUNTIME

CLEARING CAPACITY

64 MINS ON HIGH 50 MINS ON TURBO 65db(A)

240 MINS ON LOW

60CC RATING

800 CFM

190 MPH

26N

1900W

UP TO:

BATTERY TECHNOLOGY

56V ARC LITHIUM™ with PEAK POWER™

HOUSING

UV-RESISTANT

WEIGHT bare tool

COMPOSITE

WEATHER RESISTANCE RATING 16.3 LBS IPX5

Additional SKU Configurations:

LBPX8000 Batteries and charger not included. IoT not included.

LBPX8004-2 Includes (2) 6.0Ah batteries and 280W Dual Port charger. IoT not included. LBPX8006-2 Includes (2) 10.0Ah batteries and 280W Dual Port charger. IoT not included.


LBX1000


COMMERCIAL 1000CFM HANDHELD BLOWER











COMMERCIAL




EDX2000

COMMERCIAL 8" STRAIGHT SHAFT EDGER



EDX2000-C

COMMERCIAL 8" CURVED SHAFT EDGER






	EDX2000	EDX2000-C		
GAS EQUIVALENT	25CC RATING			
MAX POWER	1600W	2300W		
RATED POWER	1200W	1600W		
RUNTIME with 5.0Ah battery on low	UP TO 60 MINUTES			
BLADE SIZE	8	п		
MAX CUTTING DEPTH	3"			
ARBOR SIZE	1 INCH			
SPEEDS no load RPM	3000/4000/4500 RPM	4000/5500/7000 RPM		
SHAFT MATERIAL	CARBON FIBER	ALUMINUM		
SHAFT STYLE	STRAIGHT	CURVED		
DRIVE SHAFT	SOLID STEEL	FLEXIBLE		
BATTERY TECHNOLOGY	56V ARC LITHIUM™			
HOUSING	UV-RESISTANT COMPOSITE			
TOOL LENGTH	69.5" 67.3"			
WEIGHT bare tool	10.4 LBS			
WEATHER RESISTANCE RATING	IPX5			








COMMERCIAL





HTX5300-P


COMMERCIAL 21" SHORT POLE HEDGE TRIMMER






	HTX5300-PA	НТХ5310-Р	НТХ5300-Р
GAS EQUIVALENT	25CC RATING		
MAX POWER		1000W	
RATED POWER		650W	
RUNTIME with 2.5Ah battery on low	UP TO 75 MINUTES		
BLADE	21-INCH DUAL-ACTION HARDENED STEEL		
CUTTING CAPACITY	1.1"		
CUTTING POSITIONS	45°, 30°, 15°, 0°, -15°, -30°, -45°, -60°, -75°, -90°, -180°	°, -15°, , -45°, , -75°,	
HEAD ROTATION	180° ARTICULATING MAX RANGE		
SPEEDS	3200/3600/4000 RPM		
SHAFT MATERIAL	CARBON FIBER		
GEARBOX	DIE CAST ALUMINUM/SERVICEABLE		
BATTERY TECHNOLOGY	56V ARC LITHIUM™		
HOUSING	UV-RESISTANT COMPOSITE		
SHAFT LENGTH	59"	42"	20"
OVERALL LENGTH	98.2"	82.7"	59.1"
WEIGHT bare tool	11 LBS	9.0 LBS	9.2 LBS
WEATHER RESISTANCE RATING	IPX5		








CSX5000

COMMERCIAL 20" CHAIN SAW

BACKLIT DISPLAY

- SAFETY BRAKE ON/OFF
- LED WORK LIGHT
- BLUETOOTH
- 3-MODE SPEED SELECT
- BATTERY FUEL GAUGE
- OVERLOAD INDICATOR
- LOW OIL INDICATOR

BRUSHLESS MOTOR





Additional SKU Configurations: CSX5007 Includes 8.0Ah battery and 550W charger.






GAS EQUIVALENT	60CC RATING 35.2CC RATING			
MAX CUTTING CAPACITY 4 x 4 wood	UP TO 275 CUTS with 8.0Ah battery	UP TO 265 CUTS with 5.0Ah battery		
MAX POWER	3500W	2500W		
RATED POWER	2700W	1800W		
BAR LENGTH	20"	12"		
CHAIN SPEED	30 M/S	20 M/S		
CHAIN SPECS	.325 INCH PITCH .050 INCH GAUGE 78 DRIVE LINKS	3/8 INCH PITCH .043 INCH GAUGE 45 DRIVE LINKS		
CHAIN ADJUSTMENT	MANUAL			
OILING	AUTOMATIC			
CHAIN KICK BACK BRAKE	YES			
AUTO SAFETY BRAKE	YES	NO		
BUCKING SPIKES	METAL			
DIGITAL USER INTERFACE	YES	NO		
LED WORK LIGHT	YES	NO		
BATTERY TECHNOLOGY	56V ARC LITHIUM™			
HOUSING	UV-RESISTANT COMPOSITE			
WEIGHT bare tool	13 LBS 7.7 LBS			
WEATHER RESISTANCE RATING	IPX5			

CSX5000

CSX3000

Additional SKU Configurations: **CSX3003** Includes 5.0Ah battery and 550W charger.





PHX1600

COMMERCIAL POWER HEAD



GAS EQUIVALENT	35CC RATING
MAX POWER	1600W
RATED POWER	1200W
SPEED SETTINGS	6000/6500/7000 RPM
SHAFT ROTATION	COUNTER-CLOCKWISE
SHAFT MATERIAL	CARBON FIBER
SHAFT THICKNESS	2.0 MM
BATTERY TECHNOLOGY	56V ARC LITHIUM™
HOUSING	UV-RESISTANT COMPOSITE
WEIGHT bare tool	9 LBS
WEATHER RESISTANCE RATING	IPX5





THE MOST ADVANCED TECHNOLOGY IN THE INDUSTRY


BETTER PERFORMANCE IS BUILT IN

No matter which EGO battery you choose, you'll get:

- · Protection from drops and the elements, thanks to our shock-resistant design
- Patented ARC Lithium design keeps the battery from overheating
- · Patented power management system to maximize power and runtime
- · An integrated fuel gauge that shows you how much power is left
- Two years with registration completed within 90 days from date of purchase. One-year warranty without registration



ALL VOLTS ARE NOT CREATED EQUAL



VOLTAGE FERFORMANCE

Performance of a battery is determined by a combination of ENERGY(Wh) and POWER(W)

> CAPACITY x VOLTAGE = ENERGY (Ah) (Wh) **VOLTAGE x CURRENT = POWER**

BA1400T

2.5Ah BATTERY 140Wh



BA4200T

7.5Ah BATTERY 420Wh



BA2242T

4.0Ah BATTERY 224Wh



BA4480T

8.0Ah BATTERY 448Wh



BA2800T

5.0Ah BATTERY 280Wh



BA5600T

10.0Ah BATTERY 560Wh



BA2800T-2

5.0Ah BATTERY 2-PACK 560Wh TOTAL



BA6720T

12.0Ah BATTERY 672Wh



BA3360T

6.0Ah BATTERY 336Wh



BA6720T-2

12.0Ah BATTERY 2-PACK 1,344Wh TOTAL







PGX™ CHARGING ACCESSORIES

ACE0700

PGX™ 2-FOOT POWER CABLE

Compatible with PGX3000D & PGX1400PB



ACE1500

PGX™ 5-FOOT POWER CABLE

Compatible with PGX3000D & PGX1400PB



AEK1000

PGX™ E-TRACK MOUNTING KIT

Compatible with PGX1600H & PGX3000D



MOWER ACCESSORIES

22" High-Lift Commercial Blade



STRING TRIMMER ACCESSORIES

AD4510

TRIMMER GUARD

Compatible with STX4500 & BCX4500



AH3800

MANUAL LOAD BUMP HEAD

Compatible with STX3800, STX4500, BCX3800 & BCX4500



AH3810

RAPID RELOAD TRIMMER HEAD

Compatible with STX3800, STX4500, BCX3800 & BCX4500



AL2403

PREMIUM CRIMPED TRIMMER LINE

0.095" x 800' / 3 lbs.



AL2405

PREMIUM CRIMPED TRIMMER LINE

0.095" x 1400' / 5 lbs.



AL2420PB

PREMIUM PRE-CUT TWISTED TRIMMER LINE

0.095" x 14' / 5 pre-cut coils



STRING TRIMMER ACCESSORIES continued

HIGH-PERFORMANCE TWISTED TRIMMER LINE

0.095" x 125'



AL2470B

PREMIUM TWISTED TRIMMER LINE

0.095" x 230'



AL2703

PREMIUM CRIMPED TRIMMER LINE

0.105" x 690' / 3 lbs.



AS3800

REPLACEMENT TRIMMER SPOOL

Compatible with STX3800, STX4500, BCX3800 & BCX4500



BRUSH CUTTER ACCESSORIES

ABB1203

3-TOOL METAL BLADE

Compatible with STX3800, STX4500, BCX3800 & BCX4500



ABB1203-1

3-TOOL METAL BLADE COMBO KIT

Compatible with STX3800, STX4500, BCX3800 & BCX4500



AP4500D

DOUBLE SHOULDER BRUSH CUTTER HARNESS


Compatible with BCX4500



HEDGE TRIMMER ACCESSORIES

AHB5300P

21" HEDGE TRIMMER REPLACEMENT **BLADE SET**



Compatible with HTX5300-P & HTX5310-P

AHB5300PA

21" HEDGE TRIMMER REPLACEMENT **BLADE SET**

Compatible with HTX5300-PA



POLE SAW ACCESSORIES

AC1000Q

10" POLE SAW CHAIN

Compatible with PSX2510 & PSX2510-FC



AG10000

10" POLE SAW BAR

Compatible with PSX2510 & PSX2510-FC



EP1000

3.3 FOOT CARBON FIBER EXTENSION POLE

Compatible with PSX2510 & PSX2510-FC



CHAIN SAW ACCESSORIES

ABH3000

BATTERY HOLSTER

Compatible with CSX3000 & CSX3003



AC1200

12" CHAIN SAW CHAIN

.375" Pitch, .043" Gauge, 45 Drive Links Compatible with CSX3000 & CSX3003



AC1635

16" CHAIN SAW CHAIN

.325" Pitch, .050" Gauge, 66 Drive Links Compatible with CSX5000 & CSX5007



AC1835

18" CHAIN SAW CHAIN

.325" Pitch, .050" Gauge, 72 Drive Links Compatible with CSX5000 & CSX5007



AC2035

20" CHAIN SAW CHAIN

.325" Pitch, .050" Gauge, 78 Drive Links Compatible with CSX5000 & CSX5007



AG1200

12" CHAIN SAW GUIDE BAR

Compatible with CSX3000 & CSX3003



AK1635

16" CHAIN SAW BAR AND CHAIN KIT

.325" Pitch, .050" Gauge, 66 Drive Links Compatible with CSX5000 & CSX5007



AK1835

18" CHAIN SAW BAR AND CHAIN KIT

.325" Pitch, .050" Gauge, 72 Drive Links Compatible with CSX5000 & CSX5007



CHAIN SAW ACCESSORIES continued

AK2035

20" CHAIN SAW BAR AND CHAIN KIT

.325" Pitch. .050" Gauge, 78 Drive Links Compatible with CSX5000 & CSX5007



SAW LUBRICANT

AOL1000

128 FL OZ PREMIUM BAR & CHAIN LUBRICANT

Premium, oil-free, biodegradable. Water soluble for easy clean-up



A0L3200

32 FL OZ PREMIUM BAR & CHAIN LUBRICANT

Premium, oil-free, biodegradable. Water soluble for easy clean-up



SAFETY

GS001

SAFETY GLASSES WITH CLEAR LENSES



GS002

SAFETY GLASSES WITH GRAY LENSES



GS003

SAFETY GLASSES WITH YELLOW LENSES



GV001M

WORK GLOVES

Size Medium, Synthetic Glove (Note: gloves run small)



GV001I

WORK GLOVES

Size Large, Synthetic Glove (Note: gloves run small)



GV001XL

WORK GLOVES

Size X-Large, Synthetic Glove (Note: gloves run small)



GV001XXL

WORK GLOVES

Size XX-Large, Synthetic Glove (Note: gloves run small)





NOTHING ELSE LIKE THIS EXISTS TODAY

- ONLINE PLANNING TOOL REMOVES THE GUESS WORK
- UNDERSTAND TRANSITION COST
- SELF-SERVICE FOR USERS
- SALES TOOL FOR DEALERS



egocommercial.com/pages/power-manager

egocommercial.com/pages/power-manager-guide
SEND ALL QUESTIONS TO POWERMANAGER@EGOCOMMERCIAL.COM

NOTES	

NOTES

NOTES	



Your	local dealer:			

egopowerplus.com





